75th MORSS 712CD Cover Page

12-14 June 2007, at US Naval Academy, Annapolis, MD

If you would like your presentation included in the 75th MORSS Final Report CD it must:

1. Be unclassified, approved for public release, distribution unlimited, and is exempt from US export licensing and other export approvals including the International Traffic in Arms Regulations (22CFR120 et.seq.),
2. include MORS Form 712CD as the first page of the presentation and
3. a MORS form 712 A or B must be in the MORS Office no later than **14 June 2007**.

Author Request **(To be completed by applicant) - The following author(s) request authority to disclose the following presentation in the MORSS Final Report, for inclusion on the MORSS CD and/or posting on the MORS web site.**

Name of Principal Author and all other author(s): LTC (R) Gerald M. Pearman, MAJ Walter Kent, Dr Tom Lucas, Mr Vic Middleton, MAJ Jon Alt

_____

Principal Author's Organization and address: Contractor, Air Force Research Lab, 888 Lottie Street, Monterey, CA 93940 _____

_____ Phone: 831-869-5125_____ Email: _gerald-pearman@us.army.mil_____

Original title on 712 A/B:_Modeling Chemical Environments and Effects on Mobile Forces Using an Agent-based Simulation
_____

_____

(Please use the same title listed on MORSS Form 712 A/B. If the title was changed please list the revised title below.) Revised title:

_____

Presented in: WG(s) #_2, 29_____, CG_____, Special Session _____,

Demonstration, _____, Tutorial, _____ or Focus Session # _____

The following presentation is believed to be: unclassified, approved for public release, distribution unlimited, and is exempt from US export licensing and other export approvals including the International Traffic in Arms Regulations (22CFR120 et.seq.)

Report Documentation Page

Form Approved
OMB No. 0704-0188

1. REPORT DATE	2. REPORT TYPE	3. DATES COVERED
01 JUN 2007	**N/A**	**-**

4. TITLE AND SUBTITLE	5a. CONTRACT NUMBER
Modeling chemical Environment on Mobile Forces Using and Agent-Based Simulation	5b. GRANT NUMBER
	5c. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) **Air Force Research Lab Monterey, Canada 93940**	8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)	10. SPONSOR/MONITOR'S ACRONYM(S)
	11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release, distribution unlimited

13. SUPPLEMENTARY NOTES
See also ADM202526. Military Operations Research Society Symposium (75th) Held in Annapolis, Maryland on June 12-14, 2007., The original document contains color images.

14. ABSTRACT

15. SUBJECT TERMS

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT **unclassified**	b. ABSTRACT **unclassified**	c. THIS PAGE **unclassified**	**UU**	**22**	

Modeling Chemical Environments and Effects on Mobile Forces Using an Agent-based Simulation

Authors

MAJ Walter Kent

Dr Tom Lucas

LTC (R) Gerald M. Pearman

Mr Vic Middleton

MAJ Jon Alt

Agenda

- Research questions
- Scenario review
- DOE
- Findings
- Future work

Gas Tanker Blast Kills Nine in Iraq

Bomb Rips Through Tanker Carrying Chlorine Gas, Killing Nine, Filling Hospital Beds in Iraq

Why relevant?

- Eight chlorine gas attacks since Jan ’07
- 25 civilians killed
  - –550 civilians exposed
  - –6 soldiers exposed
- “Poor man's WMD”

A car bomb and a suicide attacker killed at least 11 people across Baghdad Tuesday, Feb. 20, 2007 as militants show increasing defiance to a major security operation.

By BRIAN MURPHY Associated Press Writer
BAGHDAD, Iraq Feb 21, 2007 (AP)

Research Questions

Primary Research Question: How does the level of chemical SA impact combat effectiveness of a Future Force Warrior (FFW) platoon?

Supporting Questions:

- How to model chemical agents?
- How to model chemical detection, protection, and effects on soldiers?
- How to represent chemical SA?
- Is Pythagoras a viable tool in modeling a chemical environment?

Model Assumptions & Constraints

- Assumptions
  - Mask provides 100% protection from chemical
  - Chemical SA affected by detector distribution and intelligence estimates
- Constraints
  - The only protective gear modeled is mask
  - No civilians modeled
  - Enemy not affected by chemical

Battlespace

*not to scale

Measures of Performance

- Detection
  - Self-detection after 2 min exposure[1]
  - Mechanical JCAD detection varied from 2 – 14 sec exposure[2]
- Protection
  - State change sets vulnerability to zero (100% protection)
  - Easily varied for future studies using this model
- Performance effects
  - Donning mask degrades speed 20%, marksmanship 20%, and field of view 40%[3]

[1] Medical Aspects of Chemical and Biological Warfare

[2] JCAD Operational Requirements Document

[3] Military Psychology, 9(4) & CANE Study

Measures of Effectiveness

- Percent blue kinetic (hostile fire) casualties
- Percent soldiers lethally dosed
- Percent soldiers incapacitated

Design of Experiment

Traditional Approach:

- Limit number of factors or scenario alternatives
- "Fix" all other factors in the simulation to specified values
  - Isolate factors
- Limit number of replications for each design point
  - "2^{100} is forever", Gen J. Welch

Emergent Analysis:

- Examine multiple factors simultaneously
  - Identify significant factors and *interactions*
- Technique: NOLH design
  - Use relatively few design points with space filling properties
  - Achieve (nearly) orthogonal design points
- Apply *distillation simulations*
  - Low resolution, agent-based

Kleijnen, Sanchez, Lucas & Cioppa 2005

Robust Quick Turn Analysis

Factors

8 design factors

Factor	Settings	Description
Blue Speed	1.2 – 4.15	Ground speed of blue forces (km/hr)
Obedience in Mask	0.2 - 0.9	Probability of soldiers to follow orders after masking
Number UAVs	0 - 2	Number of UAVs available
Number of UGVs	0 - 4	Number of armed unmanned ground vehicles available
JCAD sensitivity	2 - 14	Time until JCAD detects (sec)
Mask marksmanship	0.4 - 0.8	Marksmanship of blue forces after they mask
Internal communications	0.5 - 1.0	Internal communications effectiveness
External communications	0.5 - 1.0	External communications effectiveness

Experiment

- Applied 8 factors to Nearly Orthogonal Latin Hypercube – 65 design points
- Crossed 65 design points with 2 categorical factors each at 2 levels:
  - Chemical intelligence estimate (none or near perfect)
  - Distribution of JCAD (UGV with JCAD or without JCAD)
- 65 design points x 4 scenarios = 260 total design points.
- 260 design points x 30 replications each = 7,800 computational runs

60 hours total run time

Full factorial = 5.3 years!

Data Analysis

Methodology

- Step-wise regression against means by MOE
  - Identify interactions & higher order effects
- ANOVA on dominating factors
- Regression tree
  - Identifies the factor that explains most variation in MOE
  - Useful finding most ‘important’ factors

MOE: Percent Blue Kinetic Casualties

Kinetic casualties decrease when number of ARV increase

Masking sooner increases kinetic casualties

By Number of ARV



By Level of Chemical Intelligence



MOE: Percent Blue Kinetic Casualties



No chemical intelligence produced lower kinetic casualties

Internal communications bec important with fewer ARV

peed (< 3.2 km/hr) in urban environment

Findings (1 of 3)

- Finding: Prior intelligence of chemical threat reduced chemical casualties but not overall casualties.

- Interpretation: Degraded functionality while masked contributed to increased kinetic casualties. *Methodology of applying simple behaviors to agents produced complex results*.

- Recommendation: Consider greater risk against non-persistent agent.

MOE: Percent Soldiers Lethally Dosed



Findings (2 of 3)

- Finding: No ARVs in scenario resulted in lower chemical casualties (not intuitive).
- Interpretation: Unclear…but places to start include model artifacts, tactics, employment. *Methodology supports quick 'what if' analysis.*
- Recommendation: Explore the 'what if' questions.

MOE: Percent Soldiers Incapacitated

Prior intelligence reduces chemical exposure



Reality: imperfect intelligence is normal

Further examine ARV/UAV tactics

Instantaneous detection requirement

Findings (3 of 3)

- Finding: While quicker JCAD detections uniformly reduced chemical casualties, detection threshholds between 6-8 seconds showed appreciably reduced casualties.

- Interpretation: What is impact of achieving instantaneous JCAD requirement? Are alternate threshholds reasonable requirements? *Methodology enables rapid 'what if' analysis and examination of factors at multiple levels.*

- Recommendation: Conduct further research on JCAD sensitivity.

Conclusions

- Pythagoras provides a framework that is easily adapted to modeling efforts and low resolution effects in the CBRN realm
- DOE research at NPS provides ground-breaking methods to experimental design
- Recommend future work:
  - Review employment tactics of ARVs and UGVs
  - Introduce civilians to the battlefield
  - Examine physiological/psychological effects of extended operations in MOPP
  - Introduce false alarms into current model

Questions